## **Amendments to the Claims:**

This listing of claims will replace all previous versions and listings of claims in the application:

- 1-57. (previously canceled)
- 58. (currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEO ID NO:132, lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEO ID NO:132);
  - (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or
- (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784, wherein the nucleic acid encoding said polypeptide is amplified in lung tumors.
- 59. (currently amended) An isolated polypeptide having at least 85% amino acid sequence identity to:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132);
  - (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or

- (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784, wherein the nucleic acid encoding said polypeptide is amplified in lung tumors.
- 60. (currently amended) An isolated polypeptide having at least 90% amino acid sequence identity to:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide;
  - (e) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132);
  - (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or
- (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784, wherein the nucleic acid encoding said polypeptide is amplified in lung tumors.
- 61. (currently amended) An isolated polypeptide having at least 95% amino acid sequence identity to:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132);
  - (d)—the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or
- (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784, wherein the nucleic acid encoding said polypeptide is amplified in lung tumors.

- 62. (currently amended) An isolated polypeptide having at least 99% amino acid sequence identity to:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132);
  - (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or
- (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784, wherein the nucleic acid encoding said polypeptide is amplified in lung tumors.
- 63. (currently amended) An isolated polypeptide comprising:
  - (a) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132;
  - (b) the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEO ID NO:132);
  - (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 49 (SEQ ID NO:132), lacking its associated signal peptide; or
  - (e) (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784.
- 64. (currently amended) The isolated polypeptide of Claim 63 comprising the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132.

- 65. (currently amended) The isolated polypeptide of Claim 63 comprising the amino acid sequence of the polypeptide shown in Figure 49 (SEQ ID NO:132) of SEQ ID NO:132, lacking its associated signal peptide.
- 66. (canceled)
- 67. (canceled)
- 68. (previously presented) The isolated polypeptide of Claim 63 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209784.
- 69. (previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 58 fused to a heterologous polypeptide.
- 70. (previously presented) The chimeric polypeptide of Claim 69, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.